






# Built-in Vari-focal Lens IR Camera

## IV-SC-350IR

### Features:

- . 1/3 inch SONY Super HAD CCD
- . High Resolution : 550 TV Lines
- . Built-in DC Iris Vari-focal Lens (f=3.8~9.5mm)
- . Super Digital Noise Reduction (SDNR)
- . Day&Night (ICR)
- . Digital Slow Shutter
- . Auto White Balance
- . Min. Illumination : 0.00Lux(IR LED On)
- . AGC, BLC, Flickerless (On/Off)



SPECIFICATION	IV-SC-350IR	
Signal System	NTSC	PAL
Scanning System	2:1 Interlace	
Scanning Frequency (H)	15.734 KHz	15.625 KHz
Scanning Frequency (V)	59.94 Hz	50 Hz
Image Sensor	1/3 Inch SONY Super HAD CCD	
Total Pixels	811(H) x 508(V) 410K	795(H) x 596(V) 470K
Total / Effective Pixels	768(H) x 494(V) 380K	752(H) x 582(V) 440K
Horizontal Resolution	550 TV Lines	
Video Output Level	1.0Vp-p (75Ω, Composite)	
S/N Ratio	More than 50dB(AGC Off)	
Lens	Built-in DC Iris Vari-focal Lens (F1.2, f=3.8~9.5mm)	
Day & Night	ICR	
Super Digital Noise Reduction	Auto	
Digital Slow Shutter	Max 32 Times	
Min.Illumination Day	Day (0.3Lux), Night (0.00Lux,IR LED On)	
Camera Control	Dip Switch	
White Balance	Auto	
AGC/BLC/Flickerless	On/Off (Dip Switch)	
Supply Voltage	AC 24V (20V~28V) or DC 12V (10V~15V)	
Power Consumption	Max. 4.8W/400mA	
Dimensions	60.0 x 55.0 x 126.9mm	
Weight	Approx. 14.7 oz (420g)	

