



Long Range IR Bullet Camera

IV-BV50256

Features:

- . 1/3 inch SONY Super HAD CCD
- . Ultra High Resolution 600TV Lines
- . True Day & Night (IR Removable Cut Filter)
- . 2.8 - 12mm Auto - Iris Varifocal Lens
- . Hassle - Free External Lens Adjustment
(Zoom/Focus, Near/Far)
- . 56 IR LED's (up to 200 ft IR Range)
- . 3DNR – Superior Balanced Night Time Picture
- . Auto White Balance (AWB)
- . AGC / BLC / Flickerless
- . Min Illumination : Night(0.00Lux, IR LED On)
- . Dual Power (DC12V / AC24V)



| SPECIFICATION | IV-BV50256 |
|--------------------------|--|
| Signal System | NTSC |
| Scanning System | 2:1 Interlace |
| Scanning Frequency (H) | 15.734 KHz |
| Scanning Frequency (V) | 59.94 Hz |
| Image Sensor | 1/3 Inch SONY Super HAD CCD |
| Total Pixels | 811(H) x 508(V) 410K |
| Total / Effective Pixels | 768(H) x 494(V) 380K |
| Horizontal Resolution | 600 TV Lines |
| Video Output | 1.0V p - p (75Ω, Composite) |
| S/N Ratio | More than 48dB(AGC Off) |
| Lens | DC Auto - Iris Varifocal Lens (2.8 – 12mm) |
| Min.Illumination | 0.3 Lux (Color), 0 Lux (IR LED On) |
| IR LED and Sensor | 56 IR LED's (850nm, 30°) |
| IR LED Visible Range | Up to 200ft |
| Day & Night | True Day & Night (ICR) |
| Digital Noise Reduction | 3DNR Auto |
| White Balance | Auto |
| AGC,BLC, Flickerless | On/Off |
| Power | Dual Power (DC12V / AC24V) |
| Dimensions (ØxWxH) | 140mm (W) x 111mm (H) x 140mm (D) |
| Weight | Approx. 1.4.kg (1400g) |
| Weather Proof | IP67 |